






	<b>Structural Proof Consultant</b> <b>Indian Institute of Technology (IIT) Madras</b> Sasser Hall 4th, Opposite to C. U. R. Ayer, Chennai. Tamil Nadu - 600035	
	<b>MEP Proof Consultant</b> <b>Egide India Consulting Engineers Pvt. Ltd.</b> 10/1, 1st & 2nd Floor, 1st Main Road, Anna Salais, Veluram, Guindy Chennai - 12021	
	<b>CRC Consulting Engineers Pvt. Ltd.</b> 447/1, 3rd Floor, Narayana Avenue, Narayana Nagar, Madhavaram Road, Velupuram, Coimbatore Karnataka - 560024	
<div style="text-align: center;"> <b>Certification</b>       </div>		
<b>IPC Contractor</b>		
<b>Design Consultant</b>		
<b>Architectural Consultant</b>		
<b>Proof Consultant</b>		
<b>Structural</b>	<b>MEP</b>	<b>ICI</b>
<b>FEAC</b> (Awarded for Engineering preparation to Collaborator and for the preparation of preliminary estimates and specifications have been advised by IIT Madras)		
Issued by: <b>Employer / Employer's Engineer</b> <div style="float: right;">           Date: <u>14-8-79</u> </div>		

1

NO	ISSUED AS GFC	FOR BY	DATE	FOR BY	DATE
REV	DESCRIPTION	DATE	DRGN	CHNG	APPR
NO	REVISION	DATE	DRGN	CHNG	APPR
1	STRUCTURAL	10/01/2023	DRGN	CHNG	APPR
2	ELECTRICAL	10/01/2023	DRGN	CHNG	APPR
3	MECHANICAL	10/01/2023	DRGN	CHNG	APPR
4	PLUMBING	10/01/2023	DRGN	CHNG	APPR
5	PAINTING	10/01/2023	DRGN	CHNG	APPR
6	LANDSCAPING	10/01/2023	DRGN	CHNG	APPR
7	INTERIOR	10/01/2023	DRGN	CHNG	APPR
8	EXTERIOR	10/01/2023	DRGN	CHNG	APPR
9	FINISHES	10/01/2023	DRGN	CHNG	APPR
10	FINAL	10/01/2023	DRGN	CHNG	APPR
CHECKED BY	DATE	CHECKED BY	DATE	CHECKED BY	DATE






**JOB No : OT17023**

**Project Name**  
**DESIGN AND CONSTRUCTION OF INDIA**  
**INTERNATIONAL CONVENTION & EXPO CENTRE**  
**SECTOR 25, DWARKA, NEW DELHI, INDIA**

**Drawing Status : GOOD FOR CONSTRUCTION**  
**GOOD FOR CONSTRUCTION (GFC)**

Drawing No			Rev. No
A	03	0201	R0
Title : <b>EXHIBITION HALL - 3</b> <b>ELEVATION'S</b> <b>(A,B,C &amp; D)</b>			
EDRG DWG No : <b>O17203-A-SP-03-WD-0201</b>		Scale	Sheet Size
		1:200	A0



**Key Plan**

**FIRE STATION**

**CO BUILDING**

ESS-2

ESS-1


Hall (2)

Hall (1)

CO PARKING DECK

0001

EXHIBITION HALL-03



<b>Owner / Employer</b>  India International Convention & Exhibition Centre Limited Room No. 420, Ministry of Commerce & Industry, DPT, Upper Ground, New Delhi - 110011, India	<b>Department of Industry Policy and Promotion</b> Ministry of Commerce & Industry Government of India
<b>Knowledge Partner</b>  Delhi Mumbai Industrial Corridor Development Corporation Room No. 341 & 3rd floor, New India Diplomatic Enclave, QD Chowk, New Delhi - 110021	
<b>Employer's Representative</b> <b>Employer Engineer</b> <b>Procurement Management Consultant (PMC)</b> <b>ACCOCM</b>	
<b>Preliminary Architectural Architecture Consultants (PEAC)</b>  Av. del Independencia de la India, 28040 Madrid, Spain I.D.S. - Ashoka Building, Green Park, New Delhi 110016, India	
<b>L&amp;T Construction</b> <b>Buildings &amp; Factories</b> Mount Patharia Road, New Colony, P.O. Park Road, Chennai - 600030	
<b>EPIC Contractors/Representatives</b> <b>Design Consultant</b> <b>Engineering Design and Research Center (EDRC)</b> <b>L&amp;T Construction - Buildings &amp; Factories</b> <b>Architectural Consultant</b>  ARCON Associates Pvt. Ltd., A-13, Parnose Enclave, G-1 - 1 New Delhi, Delhi 110048 India	
<b>Structural Proof Consultant</b>  Indian Institute of Technology (IIT) Madras, Sadagopalan Road, Chennai - 600075, India	
<b>MEP Proof Consultant</b>  Egis India Consulting Engineers Pvt. Ltd., 10/1, Sector 32, Industrial Area, Okhla, New Delhi, India	
<b>ICT Proof Consultant</b>  CCR Consulting Engineers Pvt. Ltd., 4071, 3rd floor, Kharodwara Area, Subhashchandra Park, Indraprastha Colony, Rohanagar, Bangalore - 560004	
<b>Certification</b> <b>EPIC Contractor</b> 	
<b>Design Consultant</b> 	
<b>Architectural Consultant</b> 	
<b>Proof Consultant</b> <b>Structural</b> <b>MEP</b> <b>ICT</b>	
<b>PEAC</b> Reviewed CQC training prepared by Contractor and reviewed that all preliminary requests and parameters have been submitted.	
Issued by _____ Employer / Employer's Engineer Design on behalf of Employer	

NO	ISSUED FOR GFC	02/01/19	DATE	ISSN	DEHN	CHEN	ADN	APPC
REV	DESCRIPTION	DATE	DESIGN	DEHN	CHEN	ADN	APPC	

**Revisions**

1	FACTORYWORK		ISSN					
2	STRUCTURAL		PIE					
3	REVISION		GEORGINA					
4	ENVIRONMENTAL							
5	PLUMBING							
6	ELECTRICAL							
7	MECHANICAL							
8	PAINTING							
9	FINISHES							
10	LANDSCAPE							
11	CONCRETE							
12	FOUNDATION							
13	ROOFING							
14	CLADDING							
15	GLAZING							
16	MECHANICAL							
17	ELECTRICAL							
18	PLUMBING							
19	PAINTING							
20	FINISHES							
21	LANDSCAPE							
22	CONCRETE							
23	FOUNDATION							
24	ROOFING							
25	CLADDING							
26	GLAZING							
27	MECHANICAL							
28	ELECTRICAL							
29	PLUMBING							
30	PAINTING							
31	FINISHES							
32	LANDSCAPE							
33	CONCRETE							
34	FOUNDATION							
35	ROOFING							
36	CLADDING							
37	GLAZING							
38	MECHANICAL							
39	ELECTRICAL							
40	PLUMBING							
41	PAINTING							
42	FINISHES							
43	LANDSCAPE							
44	CONCRETE							
45	FOUNDATION							
46	ROOFING							
47	CLADDING							
48	GLAZING							
49	MECHANICAL							
50	ELECTRICAL							
51	PLUMBING							
52	PAINTING							
53	FINISHES							
54	LANDSCAPE							
55	CONCRETE							
56	FOUNDATION							
57	ROOFING							
58	CLADDING							
59	GLAZING							
60	MECHANICAL							
61	ELECTRICAL							
62	PLUMBING							
63	PAINTING							
64	FINISHES							
65	LANDSCAPE							
66	CONCRETE							
67	FOUNDATION							
68	ROOFING							
69	CLADDING							
70	GLAZING							
71	MECHANICAL							
72	ELECTRICAL							
73	PLUMBING							
74	PAINTING							
75	FINISHES							
76	LANDSCAPE							
77	CONCRETE							
78	FOUNDATION							
79	ROOFING							
80	CLADDING							
81	GLAZING							
82	MECHANICAL							
83	ELECTRICAL							
84	PLUMBING							
85	PAINTING							
86	FINISHES							
87	LANDSCAPE							
88	CONCRETE							
89	FOUNDATION							
90	ROOFING							
91	CLADDING							
92	GLAZING							
93	MECHANICAL							
94	ELECTRICAL							
95	PLUMBING							
96	PAINTING							
97	FINISHES							
98	LANDSCAPE							
99	CONCRETE							
100	FOUNDATION							



L&T

Construction

Buildings & Facilities



JOB NO : 072023

Project Name

DESIGN AND CONSTRUCTION OF INDIA INTERNATIONAL CONVENTION & EXPO CENTRE

SECTOR 25, DWARKA, NEW DELHI, INDIA

Drawing Status **100% FOR CONSTRUCTION!**

GOOD FOR CONSTRUCTION (GFC)


Drawing No			Rev. No.		
A	03	0301	R0		

Title :

**EXHIBITION HALL-03**

**SECTION**

EDWG DRCW NO	Scale	Sheet Size
072023-A-37-03-WD-0301	AS NOTIONED	A0



**Owner / Employer**  
India International Convention & Exhibition Centre Limited  
Room No. 425A, Ministry of Commerce & Industry,  
DPI, Lodhi Road, New Delhi - 110011, India

**Department of Industrial Policy and Promotion Ministry of Commerce & Industry Government of India**

**Knowledge Partner**  
Delhi Mumbai Industrial Corridor Development Corporation  
Room No. 341 B, 3rd Floor, Hotel Apollo,  
Diplomat Enclave, 10B Connaught Place,  
New Delhi - 110021

**Employer's Representative**  
Employee Engineer  
Programme Management Consultant (PMC)

**AECOM**  
Preliminary Engineering Architecture Consultants (PEAC)  
Av. Del Marquês de E. 4001, A-13, Parque Tecnológico, 28047 Madrid, Spain  
CPK KUREJA  
No. D-1, Ashwini Building, Green Park,  
28047 Model, Delhi  
New Delhi - 110048, India

**MEP Contractor**  
L&T Construction  
Buildings & Factories  
Mount Parameswari Road, Varanasi,  
P. O. Box 17, Chennai - 600 009

**EPC Contractor's Representatives**  
Design Consultant  
Engineering Design and Research Center (EDRC)  
L&T Construction - Buildings & Factories  
Architectural Consultant  
ARCO  
Arco Associates Pvt. Ltd.,  
A-13, Parque Tecnológico, G-1,  
New Delhi - 110048, India

**Structural Consultant**  
Indian Institute of Technology (IIT) Madras  
Sector Road 6, Opposite to C. L. S. A. College,  
Tamil Nadu - 600 036

**MEP Consultant**  
Epi India Consulting Engineers Pvt. Ltd.,  
Plot No. 6, Sector 35, Institutional Area,  
Gurgaon, Haryana - 122009

**ICT Consultant**  
CRK Consulting Engineers Pvt. Ltd.,  
A-1/1, 3rd Floor, Naraina Arcade,  
Subramanyam Road, Naraina Circle,  
New Delhi - 110028

**Certification**  
EPC Contractor  
Design Consultant  
Architectural Consultant  
MEP Consultant  
ICT Consultant

**PEAC** reviewed GFC drawing prepared by Contractor and ensured that all preliminary aspects and parameters have been addressed.

**Issued by:**  
Employer / Employer's Engineer  
Date: 19-07-19

**REVISIONS**

REV	DESCRIPTION	DATE	DESIGN	DRAWN	CHKD	APPD
01	ISSUED FOR GFC	12.07.19	IPV	IPV	IPV	AC

**Revisions**

REVISION	DESCRIPTION	DATE	DESIGN	DRAWN	CHKD	APPD
01	ISSUED FOR GFC	12.07.19	IPV	IPV	IPV	AC

**EPC Contractor**  
L&T Construction  
Buildings & Factories

**Project Name**  
DESIGN AND CONSTRUCTION OF INDIA INTERNATIONAL CONVENTION & EXPO CENTRE  
SECTOR 25, DWARKA, NEW DELHI, INDIA

**Drawing Status**  
GOOD FOR CONSTRUCTION  
GOOD FOR CONSTRUCTION (GFC)


**Drawing No**  
A 03 0302 R0

**Title**  
EXHIBITION HALL-03 SECTIONS













**EDRC DWG No.**  
017203-A-SF-03-WD-0302

**Scale**  
AS MENTIONED


**Sheet Size**  
A0




This drawing is the property of L&T Construction, B&F-EDRC and must not be passed on to any person or body not authorised by us to receive it nor be copied or otherwise made use either in full or in part by such person or body without our prior permission in writing.

8	7	6	5	4	3	2	1																																																																																																																																																																																																																																																																							
<table><tr><th colspan="7">FINISHING SCHEDULE FOR EH3 BASEMENTS &amp; GROUND FLOOR</th></tr><tr><th>Sl. No.</th><th>Space</th><th>Floor</th><th>Skirting</th><th>Walls/Dado</th><th>Ceiling</th><th>Remarks</th></tr><tr><td>1</td><td>Pump room / Plant Room</td><td>100mm thick non suspended vacuum dewatered concrete floor with control jointS and MS Grating with paint finish</td><td>100mm high cement plaster skirting</td><td>12mm thick 1:6 plaster with OBD</td><td>OBD</td><td></td></tr><tr><td>2</td><td>Underground Water Tank</td><td>6mm thick White Glazed Ceramic Tiles as per approved sample</td><td>--</td><td>6mm thick White Glazed Ceramic Tiles as per approved sample</td><td>OBD</td><td></td></tr><tr><td>3</td><td>EH3 substation / AC Plant</td><td>100mm thick non suspended vacuum dewatered concrete floor with control jointS and MS Grating with paint finish</td><td>100mm high cement plaster skirting</td><td>12mm thick 1:6 plaster with OBD</td><td>OBD</td><td></td></tr><tr><td>4</td><td>Corridors / Evacuation Corridors</td><td>30mm thick pre-polished Kota stone as per approved sample</td><td>100mm high Kota stone</td><td>12mm 1:6 plaster with OBD</td><td>OBD</td><td></td></tr><tr><td>5</td><td>Engineering and Maintenance Office</td><td>10mm thick Vitrified Tiles as per approved sample</td><td>100mm high Vitrified Tile skirting</td><td>12mm thick 1:6 plaster with OBD</td><td>OBD</td><td></td></tr><tr><td>6</td><td>Stores</td><td>10mm thick Vitrified Tiles as per approved sample</td><td>100mm high Vitrified Tile skirting</td><td>12mm thick 1:6 plaster with OBD</td><td>OBD</td><td></td></tr><tr><td>7</td><td>Staircase/Steps</td><td>25mm thick pre-polished Kota stone tread and riser as per approved sample</td><td>100mm high Kota stone</td><td>OBD</td><td>OBD</td><td></td></tr><tr><td>8</td><td>Road and Ramp</td><td>100mm thick non suspended vacuum dewatered concrete floor with control jointS and MS Grating with paint finish</td><td>100mm high cement plaster skirting</td><td>12mm thick 1:6 plaster with OBD</td><td>OBD</td><td></td></tr><tr><td>9</td><td>Solid Waste Plant Room</td><td>25 mm thick Kota stone as per approved sample</td><td>100mm high Kota stone</td><td>6mm thick White Glazed Ceramic Tiles as per approved sample</td><td>OBD</td><td></td></tr><tr><td colspan="7">Additional Space (Rooms added in Detailed Design Stage, Finishes added as per Scheme provided in RFP)</td></tr><tr><td>10</td><td>Fire Pump Room / LT/HT Panel- Phase -1</td><td>100mm thick non suspended vacuum dewatered concrete floor with control jointS and MS Grating with paint finish</td><td>100mm high cement plaster skirting</td><td>12mm thick 1:6 plaster with OBD</td><td>OBD</td><td></td></tr><tr><td>11</td><td>Exhauster Room / Collection Chamber / HT/LT Panel - Phase -2 / Panel Room / Battery room / UPS Room / Electrical Room / Blower Room / STP Operator Room</td><td>100mm thick non suspended vacuum dewatered concrete floor with control jointS and MS Grating with paint finish</td><td>100mm high cement plaster skirting</td><td>12mm thick 1:6 plaster with OBD</td><td>OBD</td><td></td></tr><tr><td>12</td><td>Fire Tank 1 &amp; 2 / Chlorine Tank</td><td>6mm thick White Glazed Ceramic Tiles as per approved sample</td><td>--</td><td>6mm thick White Glazed Ceramic Tiles</td><td>OBD</td><td></td></tr><tr><td>13</td><td>Inspection Corridor</td><td>30mm thick pre-polished Kota stone as per approved sample</td><td>100mm high Kota stone</td><td>12mm 1:6 plaster with OBD</td><td>OBD</td><td></td></tr><tr><td>14</td><td>Exhibition Hall Area @ Ground Level</td><td>100mm thk Screed laid to slope</td><td>--</td><td>OBD</td><td>OBD</td><td></td></tr><tr><td>15</td><td>Compost Plant</td><td>25 mm thick Kota stone as per approved sample</td><td>100mm high Kota stone</td><td>6mm thick White Glazed Ceramic Tiles</td><td>OBD</td><td></td></tr><tr><td>16</td><td>Support Room</td><td>10mm thick Vitrified Tiles as per approved sample</td><td>100mm high Vitrified Tile skirting</td><td>12mm thick 1:6 plaster with OBD</td><td>Gypsum Board False ceiling</td><td></td></tr><tr><td>17</td><td>Toilets (Male/Female) / Janitor / Disable Toilets</td><td>Antiskid ceramic tile as approved sample</td><td>--</td><td>Glazed ceramic tile as approved sample. 2250mm high dado +6mm thick 1:3 plaster with OBD above it</td><td>Moisture resistance gypsum board false ceiling</td><td>Udaipur Green Marble Counters</td></tr><tr><td>18</td><td>Store Room</td><td>100mm thick non suspended vacuum dewatered concrete floor with control jointS and MS Grating with paint finish</td><td>100mm high cement plaster skirting</td><td>12mm thick 1:6 plaster with OBD</td><td>OBD</td><td></td></tr><tr><td>19</td><td>Control Room / Operator Room</td><td>10mm thick Vitrified Tiles as per approved sample</td><td>100mm high Vitrified Tile skirting</td><td>12mm thick 1:6 plaster with OBD</td><td>Gypsum Board False ceiling</td><td></td></tr><tr><td>20</td><td>Envac Systems for the solid waste handling area @ 209.40 LVL</td><td>100mm thick non suspended vacuum dewatered concrete floor with control joints</td><td>100mm high Kota stone</td><td>12mm 1:6 plaster with OBD</td><td>OBD</td><td></td></tr><tr><td>21</td><td>Ventilation Duct</td><td>--</td><td>--</td><td>12mm1:6 plaster with OBD</td><td>OBD</td><td></td></tr><tr><td>22</td><td>Ventilation Shaft</td><td>100mm thick non suspended vacuum dewatered concrete floor with control joints</td><td>100mm high Vitrified Tiles</td><td>12mm1:6 plaster with OBD</td><td>OBD</td><td></td></tr><tr><td>23</td><td>Canteen</td><td>25 mm thick Kota stone as per approved sample</td><td>100mm high Kota stone</td><td>12mm1:6 plaster with OBD</td><td>Gypsum Board False ceiling</td><td></td></tr><tr><td>24</td><td>Drinking water Facility</td><td>25 mm thick Kota stone as per approved sample</td><td>100mm high Kota stone</td><td>12mm1:6 plaster with OBD</td><td>OBD</td><td></td></tr><tr><td>25</td><td>Fire Control room / STR Room</td><td>10mm thick Vitrified Tiles as per approved sample</td><td>100mm high Vitrified Tile skirting</td><td>12mm thick 1:6 plaster with OBD</td><td>Gypsum Board False ceiling</td><td></td></tr><tr><td>26</td><td>Manure Room / Space for Manure Storage / Chemical room</td><td>6mm antiskid ceramic tile as approved sample</td><td>100mm high Glazed ceramic tile</td><td>OBD</td><td>OBD</td><td></td></tr></table>						FINISHING SCHEDULE FOR EH3 BASEMENTS & GROUND FLOOR							Sl. No.	Space	Floor	Skirting	Walls/Dado	Ceiling	Remarks	1	Pump room / Plant Room	100mm thick non suspended vacuum dewatered concrete floor with control jointS and MS Grating with paint finish	100mm high cement plaster skirting	12mm thick 1:6 plaster with OBD	OBD		2	Underground Water Tank	6mm thick White Glazed Ceramic Tiles as per approved sample	--	6mm thick White Glazed Ceramic Tiles as per approved sample	OBD		3	EH3 substation / AC Plant	100mm thick non suspended vacuum dewatered concrete floor with control jointS and MS Grating with paint finish	100mm high cement plaster skirting	12mm thick 1:6 plaster with OBD	OBD		4	Corridors / Evacuation Corridors	30mm thick pre-polished Kota stone as per approved sample	100mm high Kota stone	12mm 1:6 plaster with OBD	OBD		5	Engineering and Maintenance Office	10mm thick Vitrified Tiles as per approved sample	100mm high Vitrified Tile skirting	12mm thick 1:6 plaster with OBD	OBD		6	Stores	10mm thick Vitrified Tiles as per approved sample	100mm high Vitrified Tile skirting	12mm thick 1:6 plaster with OBD	OBD		7	Staircase/Steps	25mm thick pre-polished Kota stone tread and riser as per approved sample	100mm high Kota stone	OBD	OBD		8	Road and Ramp	100mm thick non suspended vacuum dewatered concrete floor with control jointS and MS Grating with paint finish	100mm high cement plaster skirting	12mm thick 1:6 plaster with OBD	OBD		9	Solid Waste Plant Room	25 mm thick Kota stone as per approved sample	100mm high Kota stone	6mm thick White Glazed Ceramic Tiles as per approved sample	OBD		Additional Space (Rooms added in Detailed Design Stage, Finishes added as per Scheme provided in RFP)							10	Fire Pump Room / LT/HT Panel- Phase -1	100mm thick non suspended vacuum dewatered concrete floor with control jointS and MS Grating with paint finish	100mm high cement plaster skirting	12mm thick 1:6 plaster with OBD	OBD		11	Exhauster Room / Collection Chamber / HT/LT Panel - Phase -2 / Panel Room / Battery room / UPS Room / Electrical Room / Blower Room / STP Operator Room	100mm thick non suspended vacuum dewatered concrete floor with control jointS and MS Grating with paint finish	100mm high cement plaster skirting	12mm thick 1:6 plaster with OBD	OBD		12	Fire Tank 1 & 2 / Chlorine Tank	6mm thick White Glazed Ceramic Tiles as per approved sample	--	6mm thick White Glazed Ceramic Tiles	OBD		13	Inspection Corridor	30mm thick pre-polished Kota stone as per approved sample	100mm high Kota stone	12mm 1:6 plaster with OBD	OBD		14	Exhibition Hall Area @ Ground Level	100mm thk Screed laid to slope	--	OBD	OBD		15	Compost Plant	25 mm thick Kota stone as per approved sample	100mm high Kota stone	6mm thick White Glazed Ceramic Tiles	OBD		16	Support Room	10mm thick Vitrified Tiles as per approved sample	100mm high Vitrified Tile skirting	12mm thick 1:6 plaster with OBD	Gypsum Board False ceiling		17	Toilets (Male/Female) / Janitor / Disable Toilets	Antiskid ceramic tile as approved sample	--	Glazed ceramic tile as approved sample. 2250mm high dado +6mm thick 1:3 plaster with OBD above it	Moisture resistance gypsum board false ceiling	Udaipur Green Marble Counters	18	Store Room	100mm thick non suspended vacuum dewatered concrete floor with control jointS and MS Grating with paint finish	100mm high cement plaster skirting	12mm thick 1:6 plaster with OBD	OBD		19	Control Room / Operator Room	10mm thick Vitrified Tiles as per approved sample	100mm high Vitrified Tile skirting	12mm thick 1:6 plaster with OBD	Gypsum Board False ceiling		20	Envac Systems for the solid waste handling area @ 209.40 LVL	100mm thick non suspended vacuum dewatered concrete floor with control joints	100mm high Kota stone	12mm 1:6 plaster with OBD	OBD		21	Ventilation Duct	--	--	12mm1:6 plaster with OBD	OBD		22	Ventilation Shaft	100mm thick non suspended vacuum dewatered concrete floor with control joints	100mm high Vitrified Tiles	12mm1:6 plaster with OBD	OBD		23	Canteen	25 mm thick Kota stone as per approved sample	100mm high Kota stone	12mm1:6 plaster with OBD	Gypsum Board False ceiling		24	Drinking water Facility	25 mm thick Kota stone as per approved sample	100mm high Kota stone	12mm1:6 plaster with OBD	OBD		25	Fire Control room / STR Room	10mm thick Vitrified Tiles as per approved sample	100mm high Vitrified Tile skirting	12mm thick 1:6 plaster with OBD	Gypsum Board False ceiling		26	Manure Room / Space for Manure Storage / Chemical room	6mm antiskid ceramic tile as approved sample	100mm high Glazed ceramic tile	OBD	OBD		<table><tr><td colspan="4"><b>External and Other Finishes:</b></td></tr><tr><td>1</td><td>Pure polyester 50 micron Aluminium Glazed window / ventilators</td><td></td><td></td></tr><tr><td>2</td><td>2 hour and 4 hour fire rated Rolling Shutter (Mechanically Operated)</td><td></td><td></td></tr><tr><td>3</td><td>2 hours fire rated steel doors.</td><td></td><td></td></tr><tr><td>4</td><td>Toilet door in 25mm thick pre-laminated particle board with Aluminium frame.</td><td></td><td></td></tr><tr><td>5</td><td>Ramps in non suspended Vacuum Dewatered Concrete floor with control joints</td><td></td><td></td></tr><tr><td>6</td><td>1.5m high column protection with 50X50X6 painted MS angles.</td><td></td><td></td></tr><tr><td>7</td><td>Metal Acoustical doors as per specification</td><td></td><td></td></tr><tr><td>8</td><td>Enamel Painted MS railing</td><td></td><td></td></tr><tr><td>9</td><td>18mm thick platster mixed with waterproofing compund.</td><td></td><td></td></tr><tr><td>10</td><td>Exterior angle Acrylic emulsion paint.</td><td></td><td></td></tr><tr><td>11</td><td>For joinery details refer dwng no. O17203-A-SP-03-WD-0575,0576</td><td></td><td></td></tr><tr><td>12</td><td>All RCC surfaces (Retaining wall, Columns, Ceiling, Beam) to be finished with OBD unless otherwise mentioned.</td><td></td><td></td></tr><tr><td>13</td><td>For OBD paint refer RFP tech. specifications.</td><td></td><td></td></tr></table>		<b>External and Other Finishes:</b>				1	Pure polyester 50 micron Aluminium Glazed window / ventilators			2	2 hour and 4 hour fire rated Rolling Shutter (Mechanically Operated)			3	2 hours fire rated steel doors.			4	Toilet door in 25mm thick pre-laminated particle board with Aluminium frame.			5	Ramps in non suspended Vacuum Dewatered Concrete floor with control joints			6	1.5m high column protection with 50X50X6 painted MS angles.			7	Metal Acoustical doors as per specification			8	Enamel Painted MS railing			9	18mm thick platster mixed with waterproofing compund.			10	Exterior angle Acrylic emulsion paint.			11	For joinery details refer dwng no. O17203-A-SP-03-WD-0575,0576			12	All RCC surfaces (Retaining wall, Columns, Ceiling, Beam) to be finished with OBD unless otherwise mentioned.			13	For OBD paint refer RFP tech. specifications.						
FINISHING SCHEDULE FOR EH3 BASEMENTS & GROUND FLOOR																																																																																																																																																																																																																																																																														
Sl. No.	Space	Floor	Skirting	Walls/Dado	Ceiling	Remarks																																																																																																																																																																																																																																																																								
1	Pump room / Plant Room	100mm thick non suspended vacuum dewatered concrete floor with control jointS and MS Grating with paint finish	100mm high cement plaster skirting	12mm thick 1:6 plaster with OBD	OBD																																																																																																																																																																																																																																																																									
2	Underground Water Tank	6mm thick White Glazed Ceramic Tiles as per approved sample	--	6mm thick White Glazed Ceramic Tiles as per approved sample	OBD																																																																																																																																																																																																																																																																									
3	EH3 substation / AC Plant	100mm thick non suspended vacuum dewatered concrete floor with control jointS and MS Grating with paint finish	100mm high cement plaster skirting	12mm thick 1:6 plaster with OBD	OBD																																																																																																																																																																																																																																																																									
4	Corridors / Evacuation Corridors	30mm thick pre-polished Kota stone as per approved sample	100mm high Kota stone	12mm 1:6 plaster with OBD	OBD																																																																																																																																																																																																																																																																									
5	Engineering and Maintenance Office	10mm thick Vitrified Tiles as per approved sample	100mm high Vitrified Tile skirting	12mm thick 1:6 plaster with OBD	OBD																																																																																																																																																																																																																																																																									
6	Stores	10mm thick Vitrified Tiles as per approved sample	100mm high Vitrified Tile skirting	12mm thick 1:6 plaster with OBD	OBD																																																																																																																																																																																																																																																																									
7	Staircase/Steps	25mm thick pre-polished Kota stone tread and riser as per approved sample	100mm high Kota stone	OBD	OBD																																																																																																																																																																																																																																																																									
8	Road and Ramp	100mm thick non suspended vacuum dewatered concrete floor with control jointS and MS Grating with paint finish	100mm high cement plaster skirting	12mm thick 1:6 plaster with OBD	OBD																																																																																																																																																																																																																																																																									
9	Solid Waste Plant Room	25 mm thick Kota stone as per approved sample	100mm high Kota stone	6mm thick White Glazed Ceramic Tiles as per approved sample	OBD																																																																																																																																																																																																																																																																									
Additional Space (Rooms added in Detailed Design Stage, Finishes added as per Scheme provided in RFP)																																																																																																																																																																																																																																																																														
10	Fire Pump Room / LT/HT Panel- Phase -1	100mm thick non suspended vacuum dewatered concrete floor with control jointS and MS Grating with paint finish	100mm high cement plaster skirting	12mm thick 1:6 plaster with OBD	OBD																																																																																																																																																																																																																																																																									
11	Exhauster Room / Collection Chamber / HT/LT Panel - Phase -2 / Panel Room / Battery room / UPS Room / Electrical Room / Blower Room / STP Operator Room	100mm thick non suspended vacuum dewatered concrete floor with control jointS and MS Grating with paint finish	100mm high cement plaster skirting	12mm thick 1:6 plaster with OBD	OBD																																																																																																																																																																																																																																																																									
12	Fire Tank 1 & 2 / Chlorine Tank	6mm thick White Glazed Ceramic Tiles as per approved sample	--	6mm thick White Glazed Ceramic Tiles	OBD																																																																																																																																																																																																																																																																									
13	Inspection Corridor	30mm thick pre-polished Kota stone as per approved sample	100mm high Kota stone	12mm 1:6 plaster with OBD	OBD																																																																																																																																																																																																																																																																									
14	Exhibition Hall Area @ Ground Level	100mm thk Screed laid to slope	--	OBD	OBD																																																																																																																																																																																																																																																																									
15	Compost Plant	25 mm thick Kota stone as per approved sample	100mm high Kota stone	6mm thick White Glazed Ceramic Tiles	OBD																																																																																																																																																																																																																																																																									
16	Support Room	10mm thick Vitrified Tiles as per approved sample	100mm high Vitrified Tile skirting	12mm thick 1:6 plaster with OBD	Gypsum Board False ceiling																																																																																																																																																																																																																																																																									
17	Toilets (Male/Female) / Janitor / Disable Toilets	Antiskid ceramic tile as approved sample	--	Glazed ceramic tile as approved sample. 2250mm high dado +6mm thick 1:3 plaster with OBD above it	Moisture resistance gypsum board false ceiling	Udaipur Green Marble Counters																																																																																																																																																																																																																																																																								
18	Store Room	100mm thick non suspended vacuum dewatered concrete floor with control jointS and MS Grating with paint finish	100mm high cement plaster skirting	12mm thick 1:6 plaster with OBD	OBD																																																																																																																																																																																																																																																																									
19	Control Room / Operator Room	10mm thick Vitrified Tiles as per approved sample	100mm high Vitrified Tile skirting	12mm thick 1:6 plaster with OBD	Gypsum Board False ceiling																																																																																																																																																																																																																																																																									
20	Envac Systems for the solid waste handling area @ 209.40 LVL	100mm thick non suspended vacuum dewatered concrete floor with control joints	100mm high Kota stone	12mm 1:6 plaster with OBD	OBD																																																																																																																																																																																																																																																																									
21	Ventilation Duct	--	--	12mm1:6 plaster with OBD	OBD																																																																																																																																																																																																																																																																									
22	Ventilation Shaft	100mm thick non suspended vacuum dewatered concrete floor with control joints	100mm high Vitrified Tiles	12mm1:6 plaster with OBD	OBD																																																																																																																																																																																																																																																																									
23	Canteen	25 mm thick Kota stone as per approved sample	100mm high Kota stone	12mm1:6 plaster with OBD	Gypsum Board False ceiling																																																																																																																																																																																																																																																																									
24	Drinking water Facility	25 mm thick Kota stone as per approved sample	100mm high Kota stone	12mm1:6 plaster with OBD	OBD																																																																																																																																																																																																																																																																									
25	Fire Control room / STR Room	10mm thick Vitrified Tiles as per approved sample	100mm high Vitrified Tile skirting	12mm thick 1:6 plaster with OBD	Gypsum Board False ceiling																																																																																																																																																																																																																																																																									
26	Manure Room / Space for Manure Storage / Chemical room	6mm antiskid ceramic tile as approved sample	100mm high Glazed ceramic tile	OBD	OBD																																																																																																																																																																																																																																																																									
<b>External and Other Finishes:</b>																																																																																																																																																																																																																																																																														
1	Pure polyester 50 micron Aluminium Glazed window / ventilators																																																																																																																																																																																																																																																																													
2	2 hour and 4 hour fire rated Rolling Shutter (Mechanically Operated)																																																																																																																																																																																																																																																																													
3	2 hours fire rated steel doors.																																																																																																																																																																																																																																																																													
4	Toilet door in 25mm thick pre-laminated particle board with Aluminium frame.																																																																																																																																																																																																																																																																													
5	Ramps in non suspended Vacuum Dewatered Concrete floor with control joints																																																																																																																																																																																																																																																																													
6	1.5m high column protection with 50X50X6 painted MS angles.																																																																																																																																																																																																																																																																													
7	Metal Acoustical doors as per specification																																																																																																																																																																																																																																																																													
8	Enamel Painted MS railing																																																																																																																																																																																																																																																																													
9	18mm thick platster mixed with waterproofing compund.																																																																																																																																																																																																																																																																													
10	Exterior angle Acrylic emulsion paint.																																																																																																																																																																																																																																																																													
11	For joinery details refer dwng no. O17203-A-SP-03-WD-0575,0576																																																																																																																																																																																																																																																																													
12	All RCC surfaces (Retaining wall, Columns, Ceiling, Beam) to be finished with OBD unless otherwise mentioned.																																																																																																																																																																																																																																																																													
13	For OBD paint refer RFP tech. specifications.																																																																																																																																																																																																																																																																													
<table><tr><td colspan="6"><b>Certification</b></td></tr><tr><td colspan="2"><b>EPC Contractor</b> </td><td colspan="2"><b>Architectural Consultant</b> </td><td colspan="2"><b>Proof Consultant</b></td><td colspan="2"><b>PEAC</b></td><td colspan="2"><b>Issued by:</b> <b>Employer / Employer's Engineer</b> </td></tr><tr><td colspan="2"><b>Design Consultant</b> </td><td colspan="2"></td><td colspan="2"><b>Structural</b></td><td colspan="2"><b>MEP</b></td><td colspan="2"><b>ICT</b></td></tr></table>						<b>Certification</b>						<b>EPC Contractor</b> 		<b>Architectural Consultant</b> 		<b>Proof Consultant</b>		<b>PEAC</b>		<b>Issued by:</b> <b>Employer / Employer's Engineer</b> 		<b>Design Consultant</b> 				<b>Structural</b>		<b>MEP</b>		<b>ICT</b>																																																																																																																																																																																																																																																
<b>Certification</b>																																																																																																																																																																																																																																																																														
<b>EPC Contractor</b> 		<b>Architectural Consultant</b> 		<b>Proof Consultant</b>		<b>PEAC</b>		<b>Issued by:</b> <b>Employer / Employer's Engineer</b> 																																																																																																																																																																																																																																																																						
<b>Design Consultant</b> 				<b>Structural</b>		<b>MEP</b>		<b>ICT</b>																																																																																																																																																																																																																																																																						
8	7	6	5	4	3	2	1																																																																																																																																																																																																																																																																							

Owner / Employer




India International Convention & Exhibition Centre Limited  
Room No. 452A, Ministry of Commerce & Industry,  
DIPP, Udyog Bhawan, New Delhi - 110011, India



Department of Industrial Policy and Promotion Ministry of Commerce & Industry  
Government of India


Knowledge Partner



Delhi Mumbai Industrial Corridor Development Corporation  
Room No 341 B, 3rd Floor Hotel Ashok,  
Diplomatic Enclave, 508 Chanakyapuri,  
New Delhi - 110021


Employer's Representative

Employer Engineer  
Programme Management Consultant (PMC)




AECOM

Preliminary Engg. Architecture Consultants (PEAC)



idom


Av. Del Marqués de B Escalad, 4,  
28049 Madrid, Spain



CPKUREJA

No.D-1, Ashwini Building, Green Park,  
New Delhi, Delhi 110016, India

EPC Contractor



L&T Construction

Buildings & Factories


Mount Poonamallee Road, Manapakkam,  
P.B.No.979, Chennai – 600 089

EPC Contractor's Representatives

Design Consultant

Engineering Design and Research Center (EDRC)  
L&T Construction - Buildings & Factories


Architectural Consultant



ARCOP


Arcop Associates Pvt. Ltd.  
A-15, Pampose Enclave , G.K.-1  
New Delhi, Delhi 110048, India

Structural Proof Consultant



Indian Institute of Technology (IIT) Madras  
Sardar Patel Rd, Opposite to C. L.R.I, Adyar, Chennai,  
Tamil Nadu 600036


MEP Proof Consultant



egis

Egis India Consulting Engineers Pvt. Ltd.  
Plot No. 66, Sector 32, Institutional Area,  
Opp: Zenatix Solutions, Gurugram,  
Haryana 122001

ICT Proof Consultant




CKR Consulting Engineers Pvt. Ltd.  
#47/1, 3rd Floor, Narayana Arcade,  
Subbaramachetty Road, Netkalappa Circle,  
Basavanagudi, Bengaluru - 560004

R0	ISSUED AS GOOD FOR CONSTRUCTION	8.1.2020	NI	HV	AG	AG
REV	DESCRIPTION	DATE	DSGN	DRWN	CHKD	APPD

Revisions


ARCHITECTURE	-	-	FPS	-	-
STRUCTURAL	-	-	PIPING	-	-
ELECTRICAL	-	-	PHE	-	-
ELV SYSTEM	-	-	GIS	-	-
HVAC	-	-	GEOTECH.	-	-
CHECKED BY	SIGN	DATE	CHECKED BY	SIGN	DATE

EPC Contractor



L&T Construction

Buildings & Factories



JOB No : O17203

Project Name  
DESIGN AND CONSTRUCTION OF INDIA  
INTERNATIONAL CONVENTION & EXPO CENTRE  
SECTOR 25, DWARKA, NEW DELHI, INDIA

Drawing Status  
GOOD FOR CONSTRUCTION (GFC)

Drawing No  
A030577R0

Rev. No

Title :  
EXHIBITION HALL-03  
FINISHING SCHEDULE FOR BASEMENTS &  
GROUND FLOOR

EDRC DWG No :  
O17203-A-SP-03-WD-0577

Scale :  
NTS

Sheet Size  
A3